

LITERATURE CITED

- ASTM. 1993. ASTM Standards on Aquatic Toxicology and Hazard Evaluation. Sponsored by ASTM Committee E-47 on Biological Effects and Environmental Fate. ASTM Publication Code Number (PCN): 03-547093-16. 538 p.
- Attrill, M.J., and M. Power. 2000. Effects on invertebrate populations of drought induced changes in estuarine water quality. *Marine Ecology Progress Series* 203: 133-143.
- Bamber, R.N. 1987. The effects of acidic sea water on young carpet-shell clams *Venerupis decussata* (L.) (Mollusca: Veneracea). *Journal of Experimental Marine Biology and Ecology* 108: 241-260.
- Bamber, R.N. 1990. The effects of acidic sea water on young carpet-shell clams *Venerupis decussata* (L.) (Mollusca: Veneracea). *Journal of Experimental Marine Biology and Ecology* 108: 241-260.
- Bricker, S. B., C. G. Clement, D. E. Pirhalla, S. P. Orlando, and D. R. G. Farrow. 1999. National Estuarine Eutrophication Assessment: Effects of Nutrient Enrichment in the Nation's Estuaries. National Oceanic and Atmospheric Administration, National Ocean Service, Special Projects Office and the National Centers for Coastal Ocean Science. Silver Spring, Maryland. 71p.
- Brock, L.M. 2006. Water quality, nutrient dynamics, phytoplankton ecology and land uses within defined watersheds surrounding six detention ponds on Kiawah Island, South Carolina. Masters Thesis, College of Charleston, Charleston, SC.
- Chapman, P.M. 1990. The sediment quality triad approach to determining pollution induced degradation. *The Science of the Total Environment*. 97: 815-825.
- Chapman, P.M., E.A. Power, R.N. Dexter, and G.A. Burton, Jr. 1991. Integrative assessments in aquatic ecosystems. pp. 313-340 In G.A. Burton, Jr. (ed). *Contaminant Sediment Toxicity Assessment*. Lewis Publisher, Chelsea, MI.
- D'Elia, C.F., P.A. Steudler, and N. Corwin. 1977. Determination of total nitrogen in aqueous samples using persulfate digestion. *Limnology and Oceanography* 22: 760-764.
- Diaz, R.J., and R. Rosenberg. 1995. Marine benthic hypoxia: A review of its ecological effects and the behavioural responses of benthic macrofauna. *Oceanography and Marine Biology Annual Review* 33: 245-303.
- Diaz-Ramos, S., D.L. Stevens, Jr., and A.R. Olsen. 1996. EMAP statistical methods manual, EPA/620/R-96/002. U.S. Environmental Protection Agency, Office of Research and Development, Office of Research and Development, NHEERL Western Ecology Division, Corvallis, Oregon.
- Driscoll, C.T., D. Whitall, J. Aber, E. Boyer, M. Castro, C. Cronan, C.L. Goodale, P. Groffman, C. Hopkinson, K. Lambert, G. Lawrence, and S. Ollinger. 2003. Nitrogen pollution in the northeastern United States: sources, effects, and management options. *Bioscience* 53(4): 357-374.
- Fortner, A.R., M. Sanders, and S.W. Lemire. 1996. Polynuclear aromatic hydrocarbons and trace metal burdens in sediment and the oyster, *Crassostrea virginica* (Gmelin), from two high salinity estuaries in South Carolina. In: *Sustainable Development in the Southeast Coastal Zone*. F.J. Vernberg, W.B. Vernberg and T. Siewicki, eds. University of South Carolina Press, Columbia, SC, USA, pp. 445-477.
- Gibson G.R., M.L. Bowman, J. Gerritsen, and B.D. Snyder. 2000. Estuarine and Coastal Marine Waters: Bioassessment and Biocriteria Technical Guidance. EPA 822-B-00-024. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- Graf, G. 1992. Benthic-pelagic coupling: a benthic view. *Oceanography and Marine Biology: An Annual Review* 30: 149-190.

- Gray, J.S. 1974. Animal-sediment relationships. *Oceanography and Marine Biology: An Annual Review* 12: 223-261.
- Holland, A.F., D.M. Sanger, C.P. Gawle, S.B. Lerberg, M.S. Santiago, G.H.M. Riekerk, L.E. Zimmerman, and G.I. Scott. 2004. Linkages between tidal creek ecosystems and the landscape and demographic attributes of their watersheds. *Journal of Experimental Marine Biology and Ecology* 298: 151-178.
- Honjo, T. 1993. Overview on bloom dynamics and physiological ecology of *Heterosigma akashiwo*. In *Toxic phytoplankton blooms in the sea*. Edited by T. J. Smayda and Y. Shimizu. Elsevier Science Publishers, Amsterdam, The Netherlands. pp. 33-41.
- Horner, R.A., D.L. Garrison, and F.G. Plumley. 1997. Harmful algal blooms and red tide problems on the U. S. west coast. *Limnol. Oceanogr.* 42: 1076-1088.
- Hyland, J.L. R.F. Van Dolah, and T.R. Snoots. 1999. Predicting stress in benthic communities of southeastern U.S. estuaries in relation to chemical contamination of sediments. *Environmental Toxicology and Chemistry* 18(11): 2557-2564.
- Hyland, J., I. Karakassis, P. Magni, A. Petrov, and J. Shine. 2000. Summary report: Results of initial planning meeting of the United Nations Educational, Scientific and Cultural Organization (UNESCO) Benthic Indicator group. 70 p.
- Joseph, E.B. 1973. Analysis of a nursery ground. In Pacheco, A.L. (ed.) *Proceedings of a Workshop on Egg, Larval, and Juvenile Stages of Fish in Atlantic Coast Estuaries*.
- Keppler, C.J., J. Hoguet, K. Smith, A.H. Ringwood, and A.J. Lewitus. 2005. Sublethal effects of the toxic alga *Heterosigma akashiwo* on the southeastern oyster (*Crassostrea virginica*). *Harmful Algae* 4: 275-285.
- Krahn, M.M., C.A. Wigren, R.W. Pearce, L.K. Moore, R.G. Boger, W.D. McLeod, Jr., S.L. Chan, and D.W. Brown. 1988. New HPLC cleanup and revised extraction procedures for organic contaminants, National Oceanic and Atmospheric Administration Technical Memorandum NMFS F/NWC-153: 23-47.
- Krebs, C.J. 1972. *The experimental analysis of distribution and abundance*. Ecology. New York: Harper and Row.
- Kucklick, J.R., S. Sivertsen, M. Sanders, and G. Scott. 1997. Factors influencing polycyclic aromatic hydrocarbon concentrations and patterns in South Carolina sediments. *Journal of Experimental Marine Biology and Ecology* 213: 13-29.
- Lerberg, S.B., A.F. Holland, and D.M. Sanger. 2000. Responses of tidal creek macrobenthic communities to the effects of watershed development. *Estuaries* 23: 838-853.
- Lewitus, A.J.; E.T. Koepfler, and J.T. Morris. 1998. Seasonal variation in the regulation of phytoplankton by nitrogen and grazing in a salt-marsh estuary. *Limnology and Oceanography*, 43(4): 636-646.
- Lewitus, A.J., L.B. Schmidt, L.J. Mason, J.W. Kempton, S.B. Wilde, J.L. Wolny, B.J. Williams, K.C. Hayes, S.N. Hymel, C.J. Keppler, and A.H. Ringwood. 2003. Harmful Algal Blooms in South Carolina Residential and Golf Course Ponds. *Population and Environment* 24: 387-413.
- Lewitus, A.J., D.L. White, R.G. Tymowski, M.E. Geesey, S.N. Hymel, and P.A. Noble. 2005. Adapting the CHEMTAX method for assessing phytoplankton taxonomic composition in southeastern U.S. estuaries. *Estuaries* 28(1): 160-172.

- Long, E.R., and L.G. Morgan. 1990. The potential for biological effects of sediment-sorbed contaminants tested in the United Status and Trends Program. MOAAA Technical Memorandum NOA OMA52. US Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, Rockville, MD.
- Long, E.R., D.D. MacDonald, S.L. Smith, and F.D. Calder. 1995. Incidence of adverse biological effects within ranges of chemical concentrations in Marine estuarine sediments. *Environmental Management*. 19(1): 81-97.
- Long, E.R. G.I. Scott, J. Kucklick, M. Fulton, B. Thompson, R.S. Carr, K.J. Scott, G.B. Thursby, G.T. Chandler, J.W. Anderson, and G.M. Sloane. 1997. Final Report. Magnitude and extent of sediment toxicity in selected estuaries of South Carolina and Georgia. NOAA Technical Memorandum NOS ORCA: 178 p. Technical Summary Report 57
- Magnien, R.E., R.M. Summers, M.S. Haire, W.R. Boynton, D.C. Brownlee, A.F. Holland, F. Jacobs, W.M. Kemp, K.G. Sellner, G.D. Foster, and D.A. Wright. 1987. Monitoring for Management Actions: Chesapeake Bay Water Quality Monitoring Program. First Biennial Report submitted to The Maryland Office of Environmental Programs.
- Mann, K.H. 1982. Ecology of coastal waters. University of California Press, Los Angeles, California. 322 p.
- Microbics Corporation. 1992. Microtox® Manual. Vol. 1. 1992 Edition. Carlsbad, CA.
- Monaco, M.E., T.A. Lowery, and R.L. Emmett. 1992. Assemblages of U.S. West Coast estuaries based on the distribution of fishes. *Journal of Biogeography* 19: 251-267.
- Nelson, D.M., E.A. Irlandi, L.R. Settle, M.E. Monaco, and L. Coston-Clements. 1991. Distribution and abundance of fishes and invertebrates in Southeast estuaries. ELMR Rep. No. 9. NOAA/NOS Strategic Environmental Assessments Division, Silver Spring, Maryland. 167 p.
- Pinckney, J.L.; H.W. Paerl, P. Tester, and T.L. Richardson. 2001. The role of nutrient loading and eutrophication in estuarine ecology. *Environmental Health Perspectives* 109(5): 699-706.
- Plumb, R.H., Jr. 1981. Procedures for handling and chemical analyses of sediment and water samples. Tech. Rept. EPA ICE-81-1 prepared by Great Lakes Laboratory, State University College at Buffalo, NY, for the U.S. Environmental Protection Agency/Corps of Engineers Technical Committee on Criteria for Dredge and Fill Material. Published by the U.S. Army Engineer WatWaterways Experiment Station, Vicksburg, MS.
- Ramus, J. Eby, L.A., McClellan, C.M., and Crowder, L.B. 2003. Phytoplankton forcing by a record freshwater discharge event in a large lagoonal estuarine ecosystem. *Estuaries*, 26(5): 1344-1352.
- Reish, D., S. S. Rossi, A.J. Mearns, P.S. Oshida, and F.G. Wilkes. 1979. Marine and Estuarine Pollution. EPA-600/J-79-079. *Journal of Water Pollution. Control Fed.* 51(6):1477-1517. (ERL, GB X134). (Avail. from NTIS, Springfield, VA: PB80-183379).
- Ringwood, A.H. M.E. DeLorenzo, P.E. Ross, and A.F. Holland. 1997. Interpretation of microtox solid phase toxicity tests: The effects of sediment composition. *Environmental Toxicology and Chemistry* 16(6): 1135-1140.
- Ringwood, A.H., and C.J. Keppler. 1998. Seed clam growth: An alternative sediment bioassay developed during EMAP in the Carolinian Province. *Environmental Monitoring and Assessment* 511: 247-257.

- Ringwood, A.H. and C.J. Keppler. 2002. Water quality variation and clam growth: Is pH really a non-issue in estuaries. *Estuaries* 25: 901-907
- Sanger, D.M., A.F. Holland, and G.I. Scott. 1999a. Tidal creek and salt marsh sediments in South Carolina Coastal Estuaries. I. Distribution of trace metals. *Archives of Environmental Contamination and Toxicology* 37: 445-457
- Sanger, D.M., A.F. Holland, and G.I. Scott. 1999b. Tidal creek and salt marsh sediments in South Carolina Coastal estuaries. II. Distribution of organic contaminants. *Archives of Environmental Contamination and Toxicology* 37: 458-471.
- Saulnier, I., and A. Mucci. 2000. Trace metal remobilization following the resuspension of estuarine sediments: Saguenay Fjord, Canada. *Applied Geochemistry* 15(2): 191-210.
- South Carolina Budget and Control Board. 2005. South Carolina Statistical Abstract 2005. Prepared by the Office of Research and Statistics 1919 Blanding St. Columbia, SC 29201. Available online at www.ors2.state.sc.us/abstract/index.asp
- South Carolina Department of Health and Environmental Control. 1998a. Summary of Selected Water Quality Parameter Concentrations in South Carolina Waters and Sediments January 1, 1993 - December 31, 1997. Technical Report 004-98. Bureau of Water, Columbia, S.C.
- South Carolina Department of Health and Environmental Control. 1998b. Laboratory Procedures Manual for Environmental Microbiology. Bureau of Environmental Services, Columbia, S.C.
- South Carolina Department of Health and Environmental Control. 2001. Environmental Investigations Standard Operating Procedures and Quality Assurance Manual. Office of Environmental Quality Control, Columbia, SC.
- South Carolina Department of Health and Environmental Control. 2004. Water Classifications and Standards (Regulation 61-68) and Classified Waters (Regulation 61-69) for the State of South Carolina. Office of Environmental Quality Control, Columbia, S.C.
- South Carolina Department of Health and Environmental Control. 2005. Procedures and Quality Control Manual for Chemistry Laboratories. Bureau of Environmental Services, Columbia, S.C.
- South Carolina Department of Health and Environmental Control. 2006. State of South Carolina Integrated report for 2006 Part II: *Section 305(b) Assessment and Reporting*. Office of Environmental Quality Control, Bureau of Water.
- Stevens, D.L., Jr. 1997. Variable density gridbased sampling designs for continuous spatial populations. *Environmetrics* 8: 167-195.
- Stevens, D.L., Jr., and A.R. Olsen. 1999. Spatially restricted surveys over time for aquatic resources. *Journal of Agricultural, Biological, and Environmental Statistics* 4: 415-428.
- U.S. Environmental Protection Agency. 2001. National Coastal Condition Report. EPA-620-R-01-005. 204 p.
- U.S. Environmental Protection Agency. 2004. National Coastal Condition Report II. EPA-620-R-03-002. 286 p.
- Van Dolah, R.F., J.L. Hyland, A.F. Holland, J.S. Rosen, and T.R. Snoots. 1999. A benthic index of biological integrity for assessing habitat quality in estuaries of the southeastern United States. *Marine Environmental Research* 48: 269-283.

- Van Dolah, R.F., D.E. Chestnut, and G.I. Scott. 2000. A baseline assessment of environmental and biological conditions in Broad Creek and the Okatee River, Beaufort County, South Carolina. Final Report to the Beaufort County Council, Beaufort County, South Carolina. 115 p plus appendices.
- Van Dolah, R.F., P.C. Jutte, G.H.M. Riekerk, M.V. Levisen, L.E. Zimmermann, J.D. Jones, A.J. Lewitus, D.E. Chestnut, W. McDermott, D. Bearden, G.I. Scott, and M.H. Fulton. 2002a. The Condition of South Carolina's Estuarine and Coastal Habitats During 1999-2000: Technical Report. Charleston, SC: South Carolina Marine Resources Division. Technical Report No. 90. 132 p plus appendices.
- Van Dolah, R.F., D.E. Chestnut, J.D. Jones, P.C. Jutte, G.Riekerk, M. Levisen, and W. McDermott. 2002b. The importance of considering spatial attributes in evaluating estuarine habitat condition: The South Carolina experience. *Environmental Monitoring and Assessment* 81: 85-95.
- Van Dolah, R.F., P.C. Jutte, G.H.M. Riekerk, M.V. Levisen, L.E. Zimmermann, J.D. Jones, A.J. Lewitus, D.E. Chestnut, W. McDermott, D. Bearden, G.I. Scott, and M.H. Fulton. 2004a. The Condition of South Carolina's Estuarine and Coastal Habitats During 2001-2002: Technical Report. Charleston, SC: South Carolina Marine Resources Division. Technical Report No. 100. 70 p.
- Van Dolah, R.F., D.M. Sanger, and A.B. Filipowicz. 2004b. A baseline assessment of environmental and biological conditions in the May River, Beaufort County, South Carolina. Final report to the Town of Bluffton, SC. Submitted by the Marine Resources Division, South Carolina Department of Natural Resources, Charleston, SC, and the Center of Coastal Environmental Health and Biomolecular Research, National Ocean Service, NOAA, Charleston, SC. 226 p.
- World Travel and Tourism Council. 2001. South Carolina. The Impact of Travel and Tourism on Jobs and the Economy. 1-2 Queen Victoria Terrace. Sovereign Court. London. E1W 3HA. United Kingdom. 44 p.